

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 5/16/2020 Revision date: 4/25/2022 Supersedes version of: 7/16/2020 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product form : Mixture Paint Predator Fast Action Paint & Varnish Stripper Product name : KN80-F0DK-T006-V6KU LIFI **REACH** registration No : Mixture exempt from REACH registration. : End product Product group 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Intended for general public Main use category : Consumer use Use of the substance/mixture : Paint and varnish remover 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet SDS EU addresses Supplier Product Compliance Manager Product Compliance Manager **Bartoline Limited Bartoline Ireland Limited** Barmstone Close, Swinemoor Industrial Estate Unit 3D North Point House, North Point Business Park, New Mallow Road Beverley, East Yorkshire HU17 0LW Cork T23 AT2P IRELAND +44 (0) 1482 678710info@bartoline.co.uk +353 (0) 212066 441 info@bartoline.eu https://www.bartoline.co.uk https://www.bartoline.eu 1.4. Emergency telephone number : +44 (0)1482 678710 8.30am - 4.45pm Monday to Friday or Emergency number NHS 111 (General Public - 24 Hour Service) Ireland National Poisons Centre, Dublin 9: Prublic: +353 (1) 809 2166 (8.00am - 10.00pm 7 days a week). Healthcare Professionals: +353 (1) 809 2566 (24 hour service).

SECTION 2: Hazards identification		
2.1. Classification of the substance or mixtur	re	
Classification according to Regulation (EC) No. 12 Acute toxicity (oral), Category 4 Acute toxicity (inhalation:dust,mist) Category 4	72/2008 [CLP] H302 H332	
Serious eye damage/eye irritation, Category 2 Full text of H- and EUH-statements: see section 16	H319	
Adverse physicochemical, human health and envir Harmful if inhaled. Harmful if swallowed. Causes serio		
2.2. Label elements		
Labelling according to Regulation (EC) No. 1272/20 Hazard pictograms (CLP)	GHS07	
Signal word (CLP)	Warning	
4/25/2022 (Revision date)	GB - en	1/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	: BENZYL ALCOHOL, FORMIC ACID
Hazard statements (CLP)	: H302+H332 - Harmful if swallowed or if inhaled.
	H319 - Causes serious eye irritation.
Precautionary statements (CLP)	: P102 - Keep out of reach of children.
	P103 - Read carefully and follow all instructions.
	P261 - Avoid breathing dust, fume, mist, spray, vapours.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P262 - Do not get in eyes, on skin, or on clothing.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves, protective clothing, eye protection, face protection.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	Immediately call a POISON CENTER or doctor.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
BENZYL ALCOHOL	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	50 – 90	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319
FORMIC ACID substance with a Community workplace exposure limit	CAS-No.: 64-18-6 EC-No.: 200-579-1 EC Index-No.: 607-001-00-0 REACH-no: 01-2119491174- 37	1 – 3	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation:dust,mist), H331 Skin Corr. 1A, H314 Eye Dam. 1, H318

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
FORMIC ACID	CAS-No.: 64-18-6 EC-No.: 200-579-1 EC Index-No.: 607-001-00-0 REACH-no: 01-2119491174- 37	(2 ≤C ≤ 10) Skin Irrit. 2, H315 (2 ≤C ≤ 10) Eye Irrit. 2, H319 (10 ≤C ≤ 90) Skin Corr. 1B, H314 (90 ≤C < 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If medical advice is needed, have product container or label at hand. If you feel unwell, seek medical advice.
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. If breathing is difficult, trained personnel should give oxygen. Get medical advice/attention.
First-aid measures after skin contact	: If skin irritation occurs: Get medical advice/attention. Gently wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.
First-aid measures after eye contact	 Get medical advice/attention. Remove any contact lenses and open eyelids wide apart. Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum).
First-aid measures after ingestion	: Move the affected person to the fresh air. Get immediate medical advice/attention. Do not induce vomiting. Drink plenty of water. Make the person rest. Never give anything by mouth to an unconscious person.
4.2. Most important symptoms and eff	fects, both acute and delayed
Symptoms/effects after inhalation	: May cause respiratory irritation. Absorbtion through the lungs can occur causing symptoms similar to those of ingestion.
Symptoms/effects after skin contact	: May cause an allergic skin reaction. irritation (itching, redness, blistering).
Symptoms/effects after eye contact	: May cause eye irritation. redness, itching, tears.
Symptoms/effects after ingestion	: Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Ingestion may cause nausea and vomiting. Abdominal pain, nausea. Difficulty in swallowing.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. If possible, show the doctor this safety data sheet. Failing this, show the doctor the packaging or label.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam. Carbon dioxide. Cool down the containers exposed to heat with a water spray.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Hazardous decomposition products in case of fire	Pressurised container: May burst if heated.Toxic fumes may be released. Carbon dioxide. Carbon monoxide.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release m	easures
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Turn leaking containers leak-side up to prevent the escape of liquid. See section 8 of the SDS for more information on personal protective equipment.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/personal protection".
6.2 Environmental precautions	

Contain the spilled material by bunding. Do not allow to enter drains or water courses. Notify authorities if product enters sewers or public waters.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.3. Methods and material for contain	ment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Collect leaking and spilled liquid in sealable containers as far as possible.
Other information	Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Avoid breathing vapours. Avoid contact with skin and eyes. Wear personal protective equipment. Keep contaminated washing water and dispose of appropriately. Always wash hands after handling the product. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, includ	ling any incompatibilities
Storage conditions Storage area Special rules on packaging	 Keep only in original container. Take action to prevent static discharges. Store in a well-ventilated place. Keep only in original container.

7.3. Specific end use(s)

Paint and varnish remover.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

FORMIC ACID (64-18-6)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Formic acid	
IOEL TWA [ppm]	5 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
United Kingdom - Occupational Exposure Limits		
Local name	Formic acid	
WEL TWA (OEL TWA) [1]	9.6 mg/m³	
WEL TWA (OEL TWA) [2]	5 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

BENZYL ALCOHOL (100-51-6)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	8 mg/kg bw/day

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

BENZYL ALCOHOL (100-51-6)		
Long-term - systemic effects, inhalation	22 mg/m ³	
PNEC (Water)		
PNEC aqua (freshwater)	1 mg/l	
PNEC aqua (marine water)	0.1 mg/l	
PNEC (Sediment)		
PNEC sediment (marine water)	5.27 mg/kg bw/day	
PNEC (Soil)		
PNEC soil	0.456 mg/kg bw/day	
PNEC (STP)		
PNEC sewage treatment plant	39 mg/l	

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Provide local exhaust or general room ventilation. to keep airborne levels below recommended exposure limits. Do not exceed the occupational exposure limits (OEL).

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Wear protective clothing. Protective goggles.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: tightly fitting safety goggles

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. Wear gloves made of: Butyl Rubber (IIR), Flourinated Rubber (FKM) or Polyvinyl (PVC). Gloves must be replaced after each use and whenever signs of wear or perforation appear

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Prevent runoff from entering drains, sewers or waterways.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and ch	emical properties	
Physical state Colour	: Liquid : Off-white.	
Odour	: Barely perceptible odour.	
Odour threshold	: Not available	
Melting point	: Not applicable	
Freezing point	: Not available	
Boiling point	: 80 – 100 °C	
Flammability	: Not applicable	
Explosive limits	: Not available : Not available	
Lower explosion limit Upper explosion limit	: Not available	
Flash point	: > 80 °C	
Auto-ignition temperature	: Not available	
Decomposition temperature	: Not available	
рН	: 4-4.5	
Viscosity, kinematic	: Not available	
Solubility	: In water, material soluble.	
Partition coefficient n-octanol/water (Log Kow)	: Not available	
Vapour pressure	: Not available	
Vapour pressure at 50°C	: Not available	
Density	: 562 g/l	
Relative density	: 1 – 1.04 : Not available	
Relative vapour density at 20°C Particle characteristics	: Not available : Not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. In combustion emits toxic fumes. Carbon monoxide (CO). Carbon dioxide (CO2).

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong oxidising agents. Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information		
11.1. Information on hazard classes as define	ed in Regulation (EC) No 1272/2008	
Acute toxicity (oral): Harmful if swallowed.Acute toxicity (dermal): Not classifiedAcute toxicity (inhalation): Harmful if inhaled.		
Paint Predator Fast Action Paint & Varnish Stripper		
ATE CLP (oral)	892.857 mg/kg bodyweight	
ATE CLP (dust,mist)	2.586 mg/l/4h	
BENZYL ALCOHOL (100-51-6)		
LD50 oral rat	1610 mg/kg Source: OECD SIDS	
LD50 oral	1580 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1410 - 1770	
LD50 dermal rat	2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity), Remarks on results: other:	
LC50 Inhalation - Rat	> 4178 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:	
LC50 Inhalation - Rat (Vapours) > 4.178 mg/l		
FORMIC ACID (64-18-6)		
LD50 oral rat	730 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:, 95% CL: 618 - 863	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat	7.85 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	
LC50 Inhalation - Rat (Vapours)	7.85 mg/l Source: ECHA	
Skin corrosion/irritation :	Not classified pH: 4 – 4.5	
FORMIC ACID (64-18-6)		
рН	< 1	
Serious eye damage/irritation :	Causes serious eye irritation. pH: 4 – 4.5	
FORMIC ACID (64-18-6)		
рН	< 1	
Respiratory or skin sensitisation :	Not classified Not classified	
Germ cell mutagenicity : Carcinogenicity :	Not classified	
FORMIC ACID (64-18-6)		
NOAEL (chronic, oral, animal/male, 2 years)	400 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:	
Reproductive toxicity :	Not classified	
STOT-single exposure : STOT-repeated exposure :	Not classified Not classified	
BENZYL ALCOHOL (100-51-6)		
NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight Animal: rat, Guideline: other:	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

FORMIC ACID (64-18-6)	
LOAEL (oral, rat, 90 days)	2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
Aspiration hazard	Not classified
BENZYL ALCOHOL (100-51-6)	
Viscosity, kinematic	0.005 mm ² /s
11.2. Information on other hazards	

No additional information available

SECTION 12: Ecological information

12.1. Toxicity	
Ecology - general	: (No data available specific to the product).
Hazardous to the aquatic environment, short–term (acute)	: (No data available specific to the product)
Hazardous to the aquatic environment, long–term (chronic)	: (No data available specific to the product)
Not rapidly degradable	

BENZYL ALCOHOL (100-51-6)	
LC50 - Fish [1]	460 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	230 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	770 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	500 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	76828 mg/l Test organisms (species): other:
NOEC chronic fish	48897 mg/l Test organisms (species): other: Duration: '30 d'
FORMIC ACID (64-18-6)	
LC50 - Fish [1]	130 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	365 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	1240 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	> 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	≥ 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential	
BENZYL ALCOHOL (100-51-6)	
BCF - Fish [1]	1.37

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

BENZYL ALCOHOL (100-51-6)		
Partition coefficient n-octanol/water (Log Pow) 1.1		
FORMIC ACID (64-18-6)		
Partition coefficient n-octanol/water (Log Pow)	-2.1 Source: ECHA	
12.4. Mobility in soil		
Paint Predator Fast Action Paint & Varnish Stripper		
Ecology - soil Readily absorbed into the soil.		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
No additional information available		

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Disposal of this packaging should at all times comply with the waste disposal legislation and any regional local authority requirements.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
4.1. UN number or ID	number	· · · ·		
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippii	ng name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard	class(es)		·	
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			·	
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental ha	zards	· · · ·		
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

14.6. Special precautions for user

Overland transport Not regulated

Transport by sea Not regulated

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Air transport

Not regulated

Inland waterway transport Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Abbreviations and acronyms:		
ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	ATE Acute Toxicity Estimate	
BCF Bioconcentration factor		
BLV	Biological limit value	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and ac	ronyms:
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:

Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liaible for any damage resulting from handling or from contact with the above product.