

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|-----------------|---|
| Product form | : Mixture |
| Product name | : Complete+ Superior Wood Preserver(Coloured and Clear) |
| Type of product | : Biocidal products (e.g. Disinfectants, pest control) |
| Product group | : Blend |

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

| | |
|------------------------------|--|
| Intended for general public | |
| Main use category | : Industrial use,Professional use,Consumer use |
| Use of the substance/mixture | : Preservative |
| Function or use category | : Wood preservatives |

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

R. K. & J. Jones Ltd
Southery Road
Feltwell
IP26 4EH Thetford - UK
T 01842 828101

1.4. Emergency telephone number

Emergency number : 01842 828101 (8:30-5pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| | |
|---|------|
| Aspiration hazard, Category 1 | H304 |
| Hazardous to the aquatic environment — Acute Hazard, Category 1 | H400 |
| Hazardous to the aquatic environment — Chronic Hazard, Category 1 | H410 |
| Full text of H statements : see section 16 | |

Adverse physicochemical, human health and environmental effects

May be fatal if swallowed and enters airways. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS08

GHS09

Signal word (CLP) :

Danger

Hazardous ingredients

: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics; Naphtha (petroleum), hydrotreated heavy, Low boiling point hydrogen treated naphtha, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C6 through C13 and boiling in the range of approximately 65°C to 230°C (149°F to 446°F).]

Hazard statements (CLP) :

: H304 - May be fatal if swallowed and enters airways.
H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) :

: P102 - Keep out of reach of children.
P101 - If medical advice is needed, have product container or label at hand.
P301+P310 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER.
P331 - Do NOT induce vomiting.
P273 - Avoid release to the environment.
P391 - Collect spillage.
P405 - Store locked up.
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Complete+ Superior Wood Preserver(Coloured and Clear)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|------------------------------------|--|
| EUH-statements | : EUH066 - Repeated exposure may cause skin dryness or cracking. EUH208 - Contains 3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-1-yl butylcarbamate. May produce an allergic reaction. |
| Security closing plug for children | : Applicable |
| Tactile warning | : Applicable |

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|---------|--|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics | (CAS No) 64742-48-9 (EC no) 918-481-9 (REACH-no) 01-2119457273-39 | 60 - 75 | Asp. Tox. 1, H304 |
| 2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether | (CAS No) 112-34-5 (EC no) 203-961-6 (EC index no) 603-096-00-8 (REACH-no) 01-2119475104-44 | 1 - 10 | Eye Irrit. 2, H319 |
| 3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-1-yl butylcarbamate | (CAS No) 55406-53-6 (EC no) 259-627-5 (EC index no) 616-212-00-7 | < 1 | Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:dust,mist), H331 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 |
| tebuconazole (ISO), 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol | (CAS No) 107534-96-3 (EC no) 403-640-2 (EC index no) 603-197-00-7 (REACH-no) 01-0000015329-67 | < 1 | Repr. 2, H361d Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| permethrin (ISO), m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | (CAS No) 52645-53-1 (EC no) 258-067-9 (EC index no) 613-058-00-2 | < 1 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 3 (Inhalation:dust,mist), H331 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : Call a physician immediately. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Do not induce vomiting. Call a physician immediately. |

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after ingestion : Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

Complete+ Superior Wood Preserver(Coloured and Clear)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9)

| | | |
|----------------|---|--|
| Germany | TRGS 910 Acceptance concentration notes | |
| United Kingdom | WEL TWA (mg/m ³) | 1200 mg/m ³ Manufacturer recommended exposure limit |

2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5)

| | | |
|----------------|---|---------------------------|
| Germany | TRGS 910 Acceptance concentration notes | |
| United Kingdom | Local name | 2-(2-Butoxyethoxy)ethanol |
| United Kingdom | WEL TWA (mg/m ³) | 67.5 mg/m ³ |
| United Kingdom | WEL TWA (ppm) | 10 ppm |
| United Kingdom | WEL STEL (mg/m ³) | 101.2 mg/m ³ |
| United Kingdom | WEL STEL (ppm) | 15 ppm |

Diiron Trioxide (Iron oxide) (1309-37-1)

| | | |
|----------------|---|--------------|
| Germany | TRGS 910 Acceptance concentration notes | |
| United Kingdom | Local name | Iron Oxide |
| United Kingdom | WEL TWA (mg/m ³) | 5 |
| United Kingdom | WEL STEL (ppm) | 10 ppm |
| United Kingdom | Remark (WEL) | fume (as Fe) |

Paraffin Wax

| | | |
|----------------|---|---------------------|
| Germany | TRGS 910 Acceptance concentration notes | |
| United Kingdom | WEL TWA (mg/m ³) | 2 mg/m ³ |

Complete+ Superior Wood Preserver(Coloured and Clear)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Paraffin Wax | | |
|----------------|-------------------------------|---------------------|
| United Kingdom | WEL STEL (mg/m ³) | 6 mg/m ³ |

Exposure limit values for the other components

| PPG-2 METHYL ETHER (34590-94-8) | | | |
|---------------------------------|------------------------------|--|--|
| United Kingdom | Local name | dipropylene glycol monomethyl ether (isomer mixture) | |
| United Kingdom | WEL TWA (mg/m ³) | 308 mg/m ³ | |
| United Kingdom | WEL TWA (ppm) | 50 ppm | |
| United Kingdom | Remark (WEL) | Absorbed through skin | |

| PROPYLENE GLYCOL (57-55-6) | | | |
|----------------------------|------------------------------|---------------------------------------|--|
| United Kingdom | WEL TWA (mg/m ³) | 474 mg/m ³ | |
| United Kingdom | WEL TWA (ppm) | 150 ppm | |
| United Kingdom | Remark (WEL) | TWA 10 mg/m ³ Particulate. | |

| Formic Acid (64-18-6) | | | |
|-----------------------|------------------------------|-----------------------|--|
| United Kingdom | WEL TWA (mg/m ³) | 9.6 mg/m ³ | |
| United Kingdom | WEL TWA (ppm) | 5 ppm | |

| Hydrocarbons, C9, aromatics (64742-95-6) | | | |
|--|------------------------------|-------------------------|--|
| United Kingdom | Local name | C9 Aromatic Hydrocarbon | |
| United Kingdom | WEL TWA (mg/m ³) | 150 mg/m ³ | |
| United Kingdom | WEL TWA (ppm) | 25 ppm | |

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

| Hand protection: | | | | | |
|-------------------|----------------------|------------|----------------|-------------|--------------|
| Protective gloves | | | | | |
| Type | Material | Permeation | Thickness (mm) | Penetration | Standard |
| Disposable gloves | Nitrile rubber (NBR) | | | | EN ISO 374-1 |

| Eye protection: | | | |
|-----------------|---------|------------------|----------|
| Safety glasses | | | |
| Type | Use | Characteristics | Standard |
| Safety glasses | Droplet | with sideshields | EN 166 |

| Skin and body protection: |
|-----------------------------------|
| Wear suitable protective clothing |

| Respiratory protection: | | | |
|--|-------------|-----------------------------------|----------|
| In case of insufficient ventilation, wear suitable respiratory equipment | | | |
| Device | Filter type | Condition | Standard |
| | ABEK | vapour protection, gas protection | |

Personal protective equipment symbol(s):



Complete+ Superior Wood Preserver(Coloured and Clear)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|---------------------|
| Physical state | : Liquid |
| Colour | : Various. |
| Odour | : Hydrocarbon. |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : Not applicable |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9)

| | |
|---|----------------|
| LD50 oral rat | > 5000 mg/kg |
| LD50 dermal rat | > 5000 |
| LC50 inhalation rat (Vapours - mg/l/4h) | > 4951 mg/l/4h |

2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5)

| | |
|---------------|--------------|
| LD50 oral rat | > 5000 mg/kg |
|---------------|--------------|

Complete+ Superior Wood Preserver(Coloured and Clear)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|----------------------------|-------------------|
| LD50 dermal rabbit | 2764 mg/kg |
| LC50 inhalation rat (mg/l) | > 29 mg/l 2 hours |

3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-1-yl butylcarbamate (55406-53-6)

| | |
|---|-----------------|
| LD50 oral rat | 300 - 500 mg/kg |
| LD50 dermal rat | > 5000 mg/kg |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | 0.67 mg/l/4h |

permethrin (ISO), m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (52645-53-1)

| | |
|---|---------------|
| LD50 oral rat | 1479 mg/kg |
| LD50 dermal rat | > 2000 mg/kg |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | 0.599 mg/l/4h |

tebuconazole (ISO), 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol (107534-96-3)

| | |
|---|------------------------------|
| LD50 oral rat | 4000 mg/kg |
| LD50 oral | 1700 mg/kg Rat, female |
| LD50 dermal rat | > 5000 mg/kg male and female |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | > 5093 mg/l/4h |

| | |
|-----------------------------------|------------------|
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |

3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-1-yl butylcarbamate (55406-53-6)

| | |
|--|-------------------------|
| NOAEL (oral, rat, 90 days) | 20 mg/kg bodyweight/day |
| NOAEL (inhalation, rat, dust/mist/fume, 90 days) | 1.16 mg/l |

Aspiration hazard : May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity

| | |
|--------------------------|---|
| Ecology - general | : Very toxic to aquatic life with long lasting effects. |
| Acute aquatic toxicity | : Very toxic to aquatic life. |
| Chronic aquatic toxicity | : Very toxic to aquatic life with long lasting effects. |

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9)

| | |
|--------------------|-------------|
| LC50 fish 1 | > 1000 mg/l |
| EC50 Daphnia 1 | > 1000 mg/l |
| EC50 72h algae (1) | 1000 mg/l |
| NOEC chronic algae | 1000 mg/l |

2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5)

| | |
|--------------------|------------|
| LC50 fish 1 | 1300 mg/l |
| EC50 Daphnia 1 | > 100 mg/l |
| EC50 72h algae (1) | 1101 mg/l |
| NOEC chronic algae | > 100 mg/l |

Complete+ Superior Wood Preserver(Coloured and Clear)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| 3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-1-yl butylcarbamate (55406-53-6) | |
|---|-------------|
| LC50 fish 1 | 0.067 mg/l |
| EC50 Daphnia 1 | 0.16 mg/l |
| EC50 72h algae (1) | 0.022 mg/l |
| NOEC chronic fish | 0.0084 mg/l |
| NOEC chronic crustacea | 0.05 mg/l |
| NOEC chronic algae | 0.0046 mg/l |

| permethrin (ISO), m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (52645-53-1) | |
|---|--------------|
| LC50 fish 1 | 0.0076 mg/l |
| EC50 Daphnia 1 | 0.00017 mg/l |
| EC50 72h algae (1) | 0.5 mg/l |

| tebuconazole (ISO), 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol (107534-96-3) | |
|--|-----------|
| LC50 fish 1 | 4.4 mg/l |
| EC50 Daphnia 1 | 2.79 mg/l |
| EC50 72h algae (1) | 3.8 mg/l |
| ErC50 (algae) | 8.7 mg/l |
| NOEC chronic crustacea | 0.01 mg/l |

12.2. Persistence and degradability

| tebuconazole (ISO), 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol (107534-96-3) | |
|--|------|
| Biodegradation | 20 % |

12.3. Bioaccumulative potential

| tebuconazole (ISO), 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol (107534-96-3) | |
|--|-----|
| Bioconcentration factor (BCF REACH) | 78 |
| Log Pow | 3.7 |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information




In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA |
|---|---|---|
| 14.1. UN number | | |
| UN 3082 | UN 3082 | UN 3082 |
| 14.2. UN proper shipping name | | |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |

Complete+ Superior Wood Preserver(Coloured and Clear)

Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Transport document description | | |
|--|--|--|
| UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, (E) | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III |
| 14.3. Transport hazard class(es) | | |
| 9 | 9 | 9 |
|  |  |  |
| 14.4. Packing group | | |
| III | III | III |
| 14.5. Environmental hazards | | |
| Dangerous for the environment : Yes | Dangerous for the environment : Yes Marine pollutant : Yes | Dangerous for the environment : Yes |
| No supplementary information available | | |

14.6. Special precautions for user

Overland transport

| | |
|---|---------------------------|
| Classification code (ADR) | : M6 |
| Special provisions (ADR) | : 274, 335, 601, 375 |
| Limited quantities (ADR) | : 5I |
| Excepted quantities (ADR) | : E1 |
| Packing instructions (ADR) | : P001, IBC03, LP01, R001 |
| Special packing provisions (ADR) | : PP1 |
| Mixed packing provisions (ADR) | : MP19 |
| Portable tank and bulk container instructions (ADR) | : T4 |
| Portable tank and bulk container special provisions (ADR) | : TP1, TP29 |
| Tank code (ADR) | : LGBV |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 3 |
| Special provisions for carriage - Packages (ADR) | : V12 |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV13 |
| Hazard identification number (Kemler No.) | : 90 |
| Orange plates | : |



| | |
|-------------------------------|-------|
| Tunnel restriction code (ADR) | : E |
| EAC code | : •3Z |

Transport by sea

| | |
|-----------------------------------|-----------------|
| Special provisions (IMDG) | : 274, 335, 969 |
| Limited quantities (IMDG) | : 5 L |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : P001, LP01 |
| Special packing provisions (IMDG) | : PP1 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T4 |
| Tank special provisions (IMDG) | : TP2, TP29 |
| EmS-No. (Fire) | : F-A |

Complete+ Superior Wood Preserver(Coloured and Clear)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EmS-No. (Spillage) : S-F

Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y964

PCA limited quantity max net quantity (IATA) : 30kgG

PCA packing instructions (IATA) : 964

PCA max net quantity (IATA) : 450L

CAO packing instructions (IATA) : 964

CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

ERG code (IATA) : 9L

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 3 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 3 |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Repr. 2 | Reproductive toxicity, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| STOT RE 1 | Specific target organ toxicity — Repeated exposure, Category 1 |
| H302 | Harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H331 | Toxic if inhaled |

Complete+ Superior Wood Preserver(Coloured and Clear)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--------|--|
| H332 | Harmful if inhaled |
| H361d | Suspected of damaging the unborn child |
| H372 | Causes damage to organs through prolonged or repeated exposure |
| H400 | Very toxic to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |
| EUH066 | Repeated exposure may cause skin dryness or cracking |
| EUH208 | Contains 3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-1-yl butylcarbamate. May produce an allergic reaction |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product